




Front Skid Plate


JEEP GRAND CHEROKEE




CALL OUT	DESCRIPTION	QUANTITY
A	Front Skid Plate	1
B	13mm Flange Bolt	4
C	Clip Nuts	4

FRONT SKID PLATE

1. Mounting location shown.




2. Bolt Front Skid Plate into position as shown using (4) 13mm bolts and (4) clip nuts provided. Tighten to 19 Nm (14 ft. lbs.)





Plaque de protection du carter


JEEP GRAND CHEROKEE




CALL OUT	DESCRIPTION	QUANTITÉ
A	Plaque de protection du carter	1
B	Boulons à bride de 13 mm	4
C	Serres-écrous	4

PLAQUE DE PROTECTION DU CARTER

1. Emplacement de montage indiqué.




2. Boulonnez la plaque de protection du carter en place à l'aide de quatre (4) boulons de 13 mm et serres-écrous fournis, comme montré. Serrer avec un couple de 19 Nm (14 po/lb).





Placa protectora delantera


JEEP GRAND CHEROKEE



ELEMENTO	DESCRIPCIÓN	CANTIDAD
A	Placa protectora delantera	1
B	Perno embridado de 13mm	4
C	Tuercas de presilla	4

PLACA PROTECTORA DELANTERA

1. Imagen de la ubicación del montaje.



2. Fije la placa protectora delantera en su lugar, como se ilustra, utilizando los cuatro (4) pernos de 13mm y las cuatro (4) tuercas de presilla que vienen incluidos. Apriete los tornillos a 19 Nm (14 lb in).

